



WHEEL BARROW

GLOBAL SUSTAINABLE SUPPLY CHAIN
INTEGRATION PLATFORM
FOR BUILDING MATERIALS & HARDWARE



HEBEI SINOSTAR TRADING CO.,LTD.

TEL: +86-311-8603 9188 / 311-6726 3625 / 311-8699 9716

FAX: +86-311-8607 3288

EMAIL: SALES@HBSINOSTAR.COM

ADDRESS: NO. 39 XIANGYI ROAD, XINHUA DISTRICT, SHIJIAZHUANG, HEBEI, CHINA



WEBSITE



WECHAT

HEBEI SINOSTAR TRADING CO.,LTD.
QUALITY / SERVICE / HONESTY / SPECIALTY / INNOVATION

**GLOBAL SUSTAINABLE SUPPLY CHAIN
INTEGRATION PLATFORM
FOR BUILDING MATERIALS & HARDWARE**

PRODUCT CATALOG

- 01-02 About Sinostar
- 03-12 Wheel Barrow
- 13-15 Hand Trolley
- 16-17 Flatform Hand Truck
- 18-19 Tool Cart
- 20-21 Pneumatic Wheel
- 22-23 PU Flat Free Wheel
- 24-25 Solid Wheel

HEBEI SINOSTAR WHEEL BARROW





ABOUT SINOSTAR

GLOBAL SUSTAINABLE SUPPLY CHAIN INTEGRATION PLATFORM FOR BUILDING MATERIALS & HARDWARE

Hebei Sinostar Trading Co., Ltd. is a foreign trade company specialized in the import and export of building materials metal tools, hardware which was founded in 2005. We deal mainly in the import and export of Roofing Sheet; Metal Pipe; Wire and Mesh; Fence and Gate; Fittings and Valves; Fastener and Screw; Iron Art; Scaffolding; Aluminum, fiberglass and steel ladder, ect.,

Our group has long experience over 20 years in building materials metal tools, hardware field. It consists of three trading companies, one pipe mill, one pipe fittings mill and one freight forwarder. During the past years, we have selected more than 500 inspected mills of A level with different advantages on different items/products and cooperate with them tightly.

"Quality, Service, Honesty, Specialty, and Innovation" are our core values, which have formed the soul and DNA of HEBEI SINOSTAR. Every member of the company believes that the unified values generate efficiency for employees, and create competitiveness for customers.

QUALITY

Our QC inspectors monitor the whole process of production of each order to make sure the quality fully meets the market and customers' needs.

SERVICE

We always adhere to the philosophy of "customer-centered, market-oriented", and continuously provide high quality services to our customers.

HONESTY

Honesty is essential in any lasting business and partnership. We consider from the perspective of our customers, we act in an open and transparent way to realize customers value.

SPECIALITY

Professional skills are the foundation of high quality services. Our professional and dedicated team members make customers' business easier and safer.

INNOVATION

Innovation is the key factor of the continuous company success. Driven by the customer needs, we are always focused on the innovation and development to improve our customer satisfaction.

Hebei Sinostar is proud of its young professional and well trained team, that is full of ambition and creativity. Together with the help of all members of our group, we believe that Hebei Sinostar will become the flagship of Hebei foreign trade industry.



WB2101	
Load Capacity(KG)	180
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	12"
L/H/C/A/B/h(MM)	1200 x 650 x 620x 834 x 665 x 245



WB2102	
Load Capacity(KG)	250
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	12"
L/H/C/A/B/h(MM)	1230 x 685 x 620x 834 x 665 x 245



WB2103	
Load Capacity(KG)	130
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13"
L/H/C/A/B/h(MM)	1400 x 560 x 630x 820 x 660 x 250



WB2104	
Load Capacity(KG)	80
Water Capacity(L)	62.5
Sand Capacity(CBF)	5
Wheel	4.00-6
L/H/C/A/B/h(MM)	1270 x 570 x 600 x 803 x 610 x 205



WB2105	
Load Capacity(KG)	200
Water Capacity(L)	95
Sand Capacity(CBF)	5
Wheel	14"
L/H/C/A/B/h(MM)	1470 x 590 x 570 x 870 x 595 x 280



WB2106	
Load Capacity(KG)	180
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	14"
L/H/C/A/B/h(MM)	1370 x 560 x 640 x 830 x 670 x 250



WB2107	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1380 x 585 x 590 x 790 x 510 x 240



WB2108	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1400 x 550 x 515 x 790 x 510 x 240



WB2109	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1400 x 550 x 490 x 790 x 510 x 240



WB2110	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1400 x 550 x 515x 790 x 510 x 240



WB2111	
Load Capacity(KG)	130
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	13" x 3.25/3.00-8
L/H/C/A/B/h(MM)	1360 x 600 x 600 x 840 x 675 x 210



WB2112	
Load Capacity(KG)	180
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	13" x 3.25/3.00-8
L/H/C/A/B/h(MM)	1390 x 535 x 600 x 840 x 675 x 210



WB2101	
Load Capacity(KG)	180
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	12"
L/H/C/A/B/h(MM)	1200 x 650 x 620x 834 x 665 x 245



WB2102	
Load Capacity(KG)	250
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	12"
L/H/C/A/B/h(MM)	1230 x 685 x 620x 834 x 665 x 245



WB2103	
Load Capacity(KG)	130
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13"
L/H/C/A/B/h(MM)	1400 x 560 x 630x 820 x 660 x 250



WB2104	
Load Capacity(KG)	80
Water Capacity(L)	62.5
Sand Capacity(CBF)	5
Wheel	4.00-6
L/H/C/A/B/h(MM)	1270 x 570 x 600 x 803 x 610 x 205



WB2105	
Load Capacity(KG)	200
Water Capacity(L)	95
Sand Capacity(CBF)	5
Wheel	14"
L/H/C/A/B/h(MM)	1470 x 590 x 570 x 870 x 595 x 280



WB2106	
Load Capacity(KG)	180
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	14"
L/H/C/A/B/h(MM)	1370 x 560 x 640 x 830 x 670 x 250



WB2107	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1380 x 585 x 590 x 790 x 510 x 240



WB2109	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1400 x 550 x 490 x 790 x 510 x 240



WB2111	
Load Capacity(KG)	130
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	13" x 3.25/3.00-8
L/H/C/A/B/h(MM)	1360 x 600 x 600 x 840 x 675 x 210



WB2108	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1400 x 550 x 515 x 790 x 510 x 240



WB2110	
Load Capacity(KG)	120
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1400 x 550 x 515x 790 x 510 x 240



WB2112	
Load Capacity(KG)	180
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	13" x 3.25/3.00-8
L/H/C/A/B/h(MM)	1390 x 535 x 600 x 840 x 675 x 210



WB2113	
Load Capacity(KG)	150
Water Capacity(L)	85
Sand Capacity(CBF)	5
Wheel	16" x 4.00-8
L/H/C/A/B/h(MM)	1470 x 675 x 670 x 860 x 600 x 240



WB2114	
Load Capacity(KG)	130
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	13" x 3"
L/H/C/A/B/h(MM)	1380 x 455 x 665 x 840 x 675 x 225



WB2115	
Load Capacity(KG)	170
Water Capacity(L)	90
Sand Capacity(CBF)	5.5
Wheel	16" x4.80/4.00-8
L/H/C/A/B/h(MM)	1470 x 655 x 600 x 880 x 600 x 280



WB2116	
Load Capacity(KG)	130
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1370 x 585 x 575 x 840 x 675 x 210



WB2117	
Load Capacity(KG)	150
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1390 x 555 x 580 x 840 x 675 x 210



WB2118	
Load Capacity(KG)	180
Water Capacity(L)	60
Sand Capacity(CBF)	5
Wheel	3.50-7
L/H/C/A/B/h(MM)	1400 x 675 x 605 x 800 x 570 x 220



WB2119	
Load Capacity(KG)	150
Water Capacity(L)	72
Sand Capacity(CBF)	5
Wheel	16" x4.80/4.00-8
L/H/C/A/B/h(MM)	1450 x 615 x 585 x 910 x 620 x 230



WB2121	
Load Capacity(KG)	170
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1490 x 460 x 540 x 840 x 675 x 210



WB2123	
Load Capacity(KG)	160
Water Capacity(L)	90
Sand Capacity(CBF)	5.5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1550 x 565 x 565 x 932 x 680 x 20



WB2120	
Load Capacity(KG)	130
Water Capacity(L)	72
Sand Capacity(CBF)	5
Wheel	3.00-8
L/H/C/A/B/h(MM)	1420 x 440 x 550 x 910 x 620 x 230



WB2122	
Load Capacity(KG)	130
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	13" x 3.00-8
L/H/C/A/B/h(MM)	1365 x 575 x 637x 800 x 610 x 205



WB2124	
Load Capacity(KG)	180
Water Capacity(L)	100
Sand Capacity(CBF)	6
Wheel	16" x4.80/4.00-8
L/H/C/A/B/h(MM)	1550 x 550 x 605 x 910 x 670 x 265



WB2125	
Load Capacity(KG)	180
Water Capacity(L)	100
Sand Capacity(CBF)	6
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1540 x 560 x 580 x 970 x 670 x 265



WB2127	
Load Capacity(KG)	180
Water Capacity(L)	100
Sand Capacity(CBF)	5.5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1530 x 550 x 575 x 970 x 670 x 265



WB2129	
Load Capacity(KG)	200
Water Capacity(L)	100
Sand Capacity(CBF)	6
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1500 x 530x 530 x 970 x 670 x 265



WB2126	
Load Capacity(KG)	180
Water Capacity(L)	100
Sand Capacity(CBF)	6
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1515 x 565 x 580 x 970 x 670 x 265



WB2128	
Load Capacity(KG)	160
Water Capacity(L)	90
Sand Capacity(CBF)	5.5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1465 x 620 x 580 x 888 x 570 x 285



WB2130	
Load Capacity(KG)	200
Water Capacity(L)	120L
Sand Capacity(CBF)	8
Wheel	16" x6.50-8
L/H/C/A/B/h(MM)	1530 x 600 x 570 x 1100 x 865 x 385



WB2131	
Load Capacity(KG)	150
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1350 x 570 x 560 x 840 x 675x 210



WB2133	
Load Capacity(KG)	180
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	13"x3.50-8
L/H/C/A/B/h(MM)	1240 x 680 x 580 x 840 x 675 x 210



WB2135	
Load Capacity(KG)	180
Water Capacity(L)	90
Sand Capacity(CBF)	5.5
Wheel	16"x4.00-8
L/H/C/A/B/h(MM)	1470 x 740 x 635 x 880 x 600 x 280




WB2132	
Load Capacity(KG)	150
Water Capacity(L)	65
Sand Capacity(CBF)	5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1400 x 565 x 600 x 840 x 675 x 210



WB2134	
Load Capacity(KG)	160
Water Capacity(L)	90
Sand Capacity(CBF)	5.5
Wheel	4.80/4.00-8
L/H/C/A/B/h(MM)	1465 x 620 x 580 x 888 x 570 x 285



WB2136	
Load Capacity(KG)	180
Water Capacity(L)	90
Sand Capacity(CBF)	5.5
Wheel	16"x4.80/4.00-8
L/H/C/A/B/h(MM)	1420 x 565 x 615 x 880 x 600 x 240





ED500B					
Engine	6.5HP Loncin ,gasoline	Displacement	196cc	Standard Track Widhe(MM)	180
Transmission	3 Forward+1 Reverse	Fuel Tank Capacity(L)	3.6	Outer Distance From The Track(MM)	730
Brake Parking	Mechanical	Oil Capacity(L)	0.6	N.W.(KG) / G.W.(KG)	251/271
Box Size(MM)	1100-1240x700-840x330	Tipping Dumper Way	Manual	Max Loading Capacity(KG)	500
Measurement(MM)	1740x720x960	Standard Track Lenght(MM)	34x60	20GP / 40GP	22pcs/44pcs



EDH500C					
Engine	9.0HP Loncin ,gasoline	Displacement	270cc	Standard Track Widhe(MM)	180
Transmission	3 Forward+1 Reverse	Fuel Tank Capacity(L)	6.0	Outer Distance From The Track(MM)	750
Brake Parking	Mechanical	Oil Capacity(L)	1.1	N.W.(KG) / G.W.(KG)	282/308
Box Size(MM)	1000x700x460	Tipping Dumper Way	Hydraulic	Max Loading Capacity(KG)	500
Measurement(MM)	1630x720x965	Standard Track Lenght(MM)	38x60	20GP / 40GP	20pcs/42pcs



EDW300E					
Engine	6.5HP Loncin ,gasoline	Start Mode	manual or electric	Max Loading Capacity (KG)	300
Transmission	3 Forward+1 Reverse	Displacement	196cc	Net Weight (KG)	140
Brake Parking	Mechanical	Fuel Tank Capacity(L)	3.6	Gross Weight (KG)	170
Box Size(MM)	1000x920x300-700	Oil Capacity(L)	0.6	Load Quantity	40pcs/20GP,87pcs/40HC
Measurement(MM)	1650x920x1020	Wheel	4pcs 3.50-8 Pneumatic Tractor Rubber Wheel		



EWB7805			
L/H/C/A/B/h(MM)	1510 x 525 x 550 x 980 x 635 x 296		
Water Capacity(L)	100	Sand Capacity(CBF)	7
Wheel	4.00-10flat free tire	Speed (Km/h)	5
Motor Power(W)	500/700	Load Capacity(KG)	130
Voltage(V/A)	24/12	Weight(KG)	40



EWB700			
L/H/C/A/B/h(MM)	1350 x 600 x 840 x 880 x 580 x 240/280		
Water Capacity(L)	75	Sand Capacity(CBF)	5
Wheel	4.00-10tractor tire	Speed (Km/h)	5
Motor Power(W)	500/700	Load Capacity(KG)	200
Voltage(V/A)	24/12	N.W. (KG), G.W.(KG)	60,40



ET300			
L/W/H(MM)	1180x700x1000	Motor Power(W)	350
Pallet Size(MM)	1100x700	Load Capacity(KG)	300
Folded Size(MM)	1100 x700x450	N.W. (KG), G.W.(KG)	80,95
Speed(Km/h)	5	Load Quantity(pcs/ft)	60/20
Wheel	6" PU Caster Wheel And 10" Motor Wheel		



EWB700			
L/H/C/A/B/h(MM)	1350 x 600 x 840 x 880 x 580 x 240/280		
Water Capacity(L)	75	Sand Capacity(CBF)	5
Wheel	4.00-10tractor tire	Speed (Km/h)	5
Motor Power(W)	500/700	Load Capacity(KG)	200
Voltage(V/A)	24/12	N.W. (KG), G.W.(KG)	60,40



EWB6414			
L/H/C/A/B/h(MM)	1500 x 600 x 680 x 880 x 580 x 240/280		
Water Capacity(L)	75	Sand Capacity(CBF)	5
Wheel	4.00-10 tractor tire	Speed (Km/h)	5
Motor Power(W)	500/700	Load Capacity(KG)	130
Voltage(V/A)	24/12	N.W. (KG), G.W.(KG)	36,40



ET300H			
L/W/H(MM)	1250x710x1000	Motor Power(W)	350
Pallet Size(MM)	1040x710	Load Capacity(KG)	300
Folded Size(MM)	1160 x710x480	Voltage (V/A)	48/12
Speed(Km/h)	5	Load Quantity(pcs/ft)	60/20
Wheel	6" PU Caster Wheel And 10" Motor Wheel		



SS2101	
Load Capacity(KG)	150
Wheel	4.10/3.50-4
L/W/H(MM)	1310 x 440 x 730



SS2102	
Load Capacity(KG)	250
Wheel	4.00/-6
L/W/H(MM)	1330 x 545 x 545



SS2103	
Load Capacity(KG)	180
Wheel	4.10/3.50-4
L/W/H(MM)	1230 x 610 x 580



SS2104	
Load Capacity(KG)	180
Wheel	4.10/3.50-4
L/W/H(MM)	1100 x 580 x 815



SS2105	
Load Capacity(KG)	160
Wheel	4.10/3.50-4
L/W/H(MM)	1310 x 550 x 460



SS2106	
Load Capacity(KG)	160
Wheel	4.10/3.50-4
L/W/H(MM)	1310 x 545 x 695



SS2107	
Load Capacity(KG)	130
Wheel	4.10/3.50-4
L/W/H(MM)	1190 x 545 x 535



SS2108	
Load Capacity(KG)	100
Wheel	10" x 1.65"
L/W/H(MM)	1150 x 470 x 650



SS2109	
Load Capacity(KG)	150
Wheel	8"x 1.5"
L/W/H(MM)	1170 x 450 x 590



SS2110	
Load Capacity(KG)	250
Wheel	4.10/3.50-4
L/W/H(MM)	1310 x 590 x 600



SS2111	
Load Capacity(KG)	250
Wheel	9" x 3"
L/W/H(MM)	1310 x 550 x 565



SS2112	
Load Capacity(KG)	200
Wheel	10" x 2"
L/W/H(MM)	1260 x 485 x 530



SS2113	
Load Capacity(KG)	100
Wheel	3.00-4
L/W/H(MM)	1120 x 500 x 540



SS2114	
Load Capacity(KG)	100
Wheel	4.10/3.50-4
L/W/H(MM)	1250 x 510 x 470



SS2115	
Load Capacity(KG)	200
Wheel	4.10/3.50-4
L/W/H(MM)	1230 x 610 x 695



SS2116	
Load Capacity(KG)	200
Wheel	3.00-4
L/W/H(MM)	1090 x 590 x 840



SS2117	
Load Capacity(KG)	250
Wheel	4.10/3.50-4
L/W/H(MM)	1115 x 580 x 425



SS2118	
Load Capacity(KG)	180
Wheel	3.00-4
L/W/H(MM)	1120 x 555 x 450



SS2119	
Load Capacity(KG)	260
Wheel	4.10/3.50-4
L/W/H(MM)	1280 x 553 x 482



SS2120	
Load Capacity(KG)	260
Wheel	4.10/3.50-4
L/W/H(MM)	1295 x 525 x 480



SS2121	
Load Capacity(KG)	100
Wheel	8"x 2"
L/W/H(MM)	1190 x 510 x 515



SS2122	
Load Capacity(KG)	100
Wheel	3.00-4
L/W/H(MM)	1120 x 570 x 580



SS2123	
Load Capacity(KG)	250
Wheel	8" x 2"
L/W/H(MM)	1520 x 510 x 520



SS2124	
Load Capacity(KG)	150
Wheel	3.00-4
L/W/H(MM)	1190 x 540 x 450



SS2125	
Load Capacity(KG)	250
Wheel	4.10/3.50-4
L/W/H(MM)	1420/1225 x 470 x 470



SS2126	
Load Capacity(KG)	150
Wheel	3.50-4
L/W/H(MM)	1100 x 520 x 520



SS2127	
Load Capacity(KG)	150
Wheel	6" x 1.5"
L/W/H(MM)	1230/890 x 490 x 620



SS2128	
Load Capacity(KG)	250
Wheel	3.50-4/5" x1.2"
L/W/H(MM)	1180 x 550 x 680



SS2129	
Load Capacity(KG)	130
Wheel	3.00-4
L/W/H(MM)	1170 x 476 x 510



SS2130	
Load Capacity(KG)	200
Wheel	8" x 1.75"
L/W/H(MM)	1180/735 x 450 x 530



SS2131	
Load Capacity(KG)	200
Wheel	4.10/3.50-4
L/W/H(MM)	1180 x 485 x 480



SS2132	
Load Capacity(KG)	200
Wheel	3.00-4
L/W/H(MM)	1180 x 485 x 480



SS2133	
Load Capacity(KG)	200
Wheel	4.10/3.50-4
L/W/H(MM)	1300 x 530 x 480



FW2101	
Load Capacity(KG)	300
Wheel	5"
Overall Size L/W/H/h(MM)	907 x 608 x 850 x 195



FW2102	
Load Capacity(KG)	300
Wheel	8"PU
Overall Size L/W/H/h(MM)	905 x 605 x 960 x 280



FW2103	
Load Capacity(KG)	300
Wheel	5"
Overall Size L/W/H/h(MM)	907 x 608 x 870 x 195



FW2104	
Load Capacity(KG)	300
Wheel	5"TPR
Overall Size L/W/H/h(MM)	905 x 600 x 1030 x 740



FW2105	
Load Capacity(KG)	300
Wheel	5"TPR
Overall Size L/W/H(MM)	710 x 470 x 830



FW2106	
Load Capacity(KG)	300
Wheel	5"TPR
Overall Size L/W/H(MM)	870 x 570 x 880



FW2107	
Load Capacity(KG)	300
Wheel	5"Rubber
Overall Size L/W/H(MM)	870 x 570 x 880



FW2108	
Load Capacity(KG)	270
Wheel	5"TPR
Overall Size L/W/H(MM)	880 x 580 x 850



FW2109	
Load Capacity(KG)	300
Wheel	5"TPR
Overall Size L/W/H(MM)	870 x 570 x 880



WB2110	
Load Capacity(KG)	200
Wheel	4"Rubber
Overall Size L/W/H(MM)	700 x 470 x 850



LC2101	
Load Capacity(KG)	600
Wheel	6"
L/W/H(MM)	1100 x 800 x 1700



LC2102	
Load Capacity(KG)	600
Wheel	6"
L/W/H(MM)	850 x 650 x 1700



LC2103	
Load Capacity(KG)	600
Wheel	6"
L/W/H(MM)	1100 x 800 x 1700



LC2104	
Load Capacity(KG)	500
Wheel	13"x5.00-6
L/W/H(MM)	1235 x 615 x 1035



LC2105	
Load Capacity(KG)	350
Wheel	10"x 3.00-4
L/W/H(MM)	1110 x 520 x 1015



LC2106	
Load Capacity(KG)	700
Wheel	4.00-6
L/W/H(MM)	1290 x 615 x 965



LC2107	
Load Capacity(KG)	350
Wheel	10"x3.00-4
L/W/H(MM)	1060 x 500 x 970



LC2108	
Load Capacity(KG)	300
Wheel	4.00-6
L/W/H(MM)	1230 x 580 x 1280



LC2109	
Load Capacity(KG)	250
Wheel	10"x3.50-4
L/W/H(MM)	1105 x 510 x 965



TC2101	
Load Capacity(KG)	500
Wheel	8" x 1.75"
Body Size L/W/H(MM)	1200 x 570 x 1240



TC2102			
Load Capacity(KG)	180	Wheel	8" x 1.75"
Body Size L/W/H(MM)		600 x 590 x 1325	
Board size L/W(MM)		600 x 260	



TC2103	
Wheel	10" x 3.00-4
Blade Size (MM)	740 x 330
Body size L/W/H(MM)	1230 x 740 x 680



TC2104	
Wheel	10" x 3.00-4
Blade Size (MM)	740 x 460
Body size L/W/H(MM)	1250 x 740 x 680



TC2105	
Wheel	10" x 3.40-4PU
Blade Size (MM)	740 x 480
Body size L/W/H(MM)	1250 x 740 x 680



TC2106	
Wheel	10" x 3.00-4
Blade Size (MM)	740 x 480
Body size L/W/H(MM)	1250 x 740 x 680



TC2107	
Blade size (MM)	815 x 625
Body Size L/W/H(MM)	820 x 620 x 1440



TC2108	
Load Capacity(KG)	150
Wheel	7" x 1.5"
L/W/H/h(MM)	940 x 525 x 1120 x 625



TC2109	
Load Capacity(KG)	300
Wheel	10"x3.50-4
L/W/H(MM)	915 x 490 x 480



PR2101	8"x2.50-4
--------	-----------



PR2102	8"x2.80/2.50-4
--------	----------------



PR2103	10"x3.00-4
--------	------------



PR2104	10"x3.00-4(260x85)
--------	--------------------



PR2105	10"x3.50-4
--------	------------



PR2106	10"x3.50-4
--------	------------



PR2107	10"x3.50-4
--------	------------



PR2108	12"x3.50-6
--------	------------



PR2109	13"x4.00-6
--------	------------



PR2110	13"x3.00/3.25-8
--------	-----------------



PR2111	13"x3.00/3.25-8
--------	-----------------



PR2112	13"x5.00-6
--------	------------



PR2113	14"x3.50-7
--------	------------



PR2114	14"x3.50-8
--------	------------



PR2115	14"x3.50-8
--------	------------



PR2116	14"x3.50-8
--------	------------

			
PR2117	14"x3.50-8	PR2118	14"x3.50-8
			
PR2121	16"x4.00-8	PR2122	16"x4.00-8
			
PR2125	16"x4.00-8	PR2126	16"x4.00-8
			
PR2129	16"x4.00-8	PR2130	16"x6.50-8
		PR2131	16"x6.50-8
		PR2132	16"x6.50-8

			
PU2133	8"x1.75"	PU2134	200x50
			
PU2137	10"x3.00-4	PU2138	10"x3.00-4
			
PU2141	10"x4.10/3.50-4	PU2142	10"x4.10/3.50-4
			
PU2145	13"x3.25/3.00-8	PU2146	13"x3.25/3.00-8
		PU2147	14"x3.50-8
		PU2148	14"x3.50-8

			
PU214914"x3.50-8	PU215014"x3.50-8	PU215114"x3.50-8	PU215214"x3.50-8
			
PU215314"x3.50-8	PU215416"x4.80/4.00-8	PU215516"x4.80/4.00-8	PU215616"x4.80/4.00-8
			
PU215716"x4.80/4.00-8	PU215816"x4.80/4.00-8	PU215916"x4.80/4.00-8	PU216016"x4.80/4.00-8
			
PU216116"x4.80/4.00-8	PU216216"x6.50-8	EW21636"x1.50"	EW21646"x1.75"

			
EW21658"x1.75"	EW216610"x2.75"	SR21676"x1.5"	SR21686"x1.75"
			
SR21698"x1.75"	SR21708"x1.75"	SPR21716"x1.5"	SPR21728"x1.75"
			
SPR21738"x2"	SPR217410"x2"	SR21758"x2"	SR2175A8"x2"
			
SR217610"x3.50-4"	EW21778"x2.50-4"	SR217810"x3.50-8	SR217910"x2.2"

			
SR218010"x2.5"	SR2180-110"x2.5"	SR218110"x2.5"	SR218210"x2.5"
			
SR218312"x1.5"	SR2184A13"x3.00-8	SR218513"x3.00-8	SR218613"x3.50-7
			
SR218713"x3.00-8	SR218814"x3.50-8	SR218914"x3"	SR219014"x4"
			
SR219115"x3"			